

Osborn Cancer Program Annual Report – 2014

Table of Contents

Cancer Program Activities	3
Physician Cancer Committee Members	4
Non-Physician Cancer Committee Members	4
Cancer Conferences	4
Top Ten Analytic Cancer Incidence by Gender - Male	5
Top Ten Analytic Cancer Incidence by Gender - Female	5
Analytic Incidence by Age Group and Gender	5
Standard of Care Quality Measures of the Commission on Cancer	6
System-wide 2013 Primary Site Table	7
Shea 2012 Primary Site Table	9
Osborn 2012 Primary Site Table	11
Thompson Peak 2012 Primary Site Table	13

Community Outreach at Scottsdale Healthcare is very active. In 2014, cancer programs alone numbered 537 with 15,496 participants plus exposure to an additional 14,523 people at four large events (Parada Del Sol, Leukemia/Lymphoma Walk, Lung Walk, and Komen) for a total of 30,019 people.

Community Outreach Support Group Meetings Included:

- BRCATEERS (BRCA Positive Support Group)
- Women of Scottsdale
- West Valley Women
- Central Phoenix Women
- Cancer Support and Education Forum
- East Valley Women
- Network of Strength Breast Cancer Support Group
- Pancreatic Support Group
- Diabetes Support Group
- Facing Forward Women's Support Group
- AZ Myeloma Network Caregiver Education Support Program

Community Outreach Events:

- Parada Del Sol Parade
- Parada Del Sol Rodeo
- Susan G. Komen Walk
- American Cancer Society Breakfast
- Pancreatic Community Event
- Social Work Luncheon
- Lymphoma Walk Breakfast
- Annual stepNout Run Walk
- Phoenix Symphony Trio Healing Power of Music

- Cervical and Gynecological Cancer Event
- Making Strides Against Cancer
- Celebration of Life Leukemia / Lymphoma Walk
- LPGA Charity Pro-Am
- Interfaith Breakfast
- My Hope Bag Breast Health Event
- Gift of Life Lodging Program
- Lung Force Walk
- Light the Bridge from Care to Cure Event – Human Cancer Ribbon
- Bone Marrow Drive Event
- Annual Celebration of Lights
- Tina's Treasures Sweet Spring Annual Event
- Nutrition/Colon Event
- Celebration of Life Annual Celebration
- Ladies Event for Women of Scottsdale, Central Phoenix Women, and East Valley Women
- Annual National Cancer Survivorship Day Celebration

Community Outreach Cancer Screenings Included:

- LPGA Golf Tournament Risk and Prevention Skin Screenings
- Skin Screening –
 Partnered with Center for Dermatology
- Breast Health
 Promotional Program and
 UV Facial Screening
- Annual Skin Cancer Screening and Ocular

Melanoma Screening Annual Prostate Screening

Community Outreach Educational Programs Included:

- MPBC Golf Classic Anthem
- Decoding Annie Parker Genetic Panel
- Desert Cancer Foundation Annual Learning Living with Cancer
- Be the Match Bone Marrow Donor Education
- Lymphedema Education Program
- Ladies' Night Education Resources
- Smoking Cessation Classes
- Cancer Risk and Prevention
- The Transplant Experience
- An Insider's Look at Stem Cell Transplant

Community Outreach Nutrition Programs Included:

- Eating For Life Eat Real
- National Lymphoma Research Conference
- Nutrition Talk for Wellness Community
- Scottsdale Clinical Research Institute In-service for Staff
- Colorectal Survivorship Symposium
- Get Fit While You Sit
- Brighton Power of Pink
- Colon Cancer Alliance Group

Physician	2014
Committee	
Members	
Patrick Donovan	Medical Oncology
Timothy Kelsch	Otolaryngology
Luci Chen	Radiation Oncology
Sharon Gburek	Pathology
Mark Kuo	Radiology

F	T =
Non-Physician Members	2014
Matt Schneider	Vice President
Selma Kendrick	Director-
	Oncology Service
	Line
Colleen	Medical Staff
McKeague	
Tom Bollard	Oncology
	Manager
Shanna Levy	Genetic
	Counseling
Gerrie Jakobs	Oncology Social
	Worker
Nancy	Community
McCutcheon	Outreach
	Manager
Melanie O'Hara	Care Coordinator
Marlene Miller	Care Coordinator
Terri Taylor	Nutrition Services
Terry Thomas	Cancer Registry
Molly Downhour	Clinical Trials
Kathy Manske	Palliative Care

2014 Osborn Cancer Conferences

There were 41 general tumor boards held at Osborn in 2014 with an average physician attendance of 11.0 per meeting and an average non-physician attendance of 3.1 per meeting.

There were 107 cases presented. Of them, 105 (98.1%) were prospective presentations.

There were an additional 71 tumor boards held at Shea in 2014 (42 general, 22 breast, 4 endocrine and 3 sarcoma). There were 292 cases

presented at Shea (178 general, 92 breast, 10 endocrine and 12 sarcoma). Of them 287 (98.3%) were prospective presentations.

Physician attendance at Shea tumor boards averaged 12.2; 12.3 at general, 13.3 at breast, 9.5 at endocrine and 7.7 at sarcoma.

Non-physician attendance at Shea tumor boards averaged 9.0; 9.9 at general, 9.0 at breast, 3.0 at endocrine and 4.7 at sarcoma.

Ten Most Common Analytic Cancers Per Gender (2013 data)

Male Top Ten Sites	Incidence	Percentage Of Total Male Cases
		(n=271)
Lung	42	26%
Melanoma	29	11%
Lymphoma	27	10%
Colon	19	7%
Leukemia	14	5%
Kidney	12	4%
Sarcoma	10	4%
Brain	8	3%
Pancreas	8	3%
Rectum	8	3%
Total	177	76%
Female	Incidence	Percentage
Top Ten		Of Total
Sites		Female
		Cases
		(n=360)
Breast	112	31%
Lung	61	17%
Lymphoma	28	8%
Leukemia	18	5%
Thyroid	15	4%
Colon	14	4%
Meninges	13	4%

Orbit	12	3%
Unknown	9	3%
Pancreas	8	2%
Total	290	81%

Note: Cervical carcinoma in situ, squamous or basal cell carcinomas of skin and intraepithelial neoplasias were excluded.

Among men, lung cancer was most prevalent; accounting for one 15.5% of all cancers accessioned.

Among women, breast cancer was the most prevalent; accounting for 31% of all cancers accessioned.

Analytic Cases Age by Gender (2013 data)

Age	Male	Female	Total
1-9	0	0	0
10-19	1	0	1
20-29	1	5	6
30-39	5	10	15
40-49	15	32	47
50-59	43	73	117
60-69	65	84	149
70-79	87	94	181
80-89	50	48	98
90-99	4	13	17
<u>></u> 100	0	1	1
Total	271	360	631

Patients in their seventies accounted for 28.7% of all accessions in 2013. Patients in their fifties and in their seventies accounted for 18.5% and 23.6%, respectively. Collectively, patients of ages 50-79 accounted for 70.8% of all 2013 cases.

SCOTTSDALE HEALTHCARE OSBORN - 2011

Cancer Program Practice Profile Reports Summary for Breast, Colon and Rectal Cancers

Performance rates from the Commission on Cancer National Cancer Data Base for 2011 diagnoses comparison among SHC Osborn, SHC Osborn's upper limit of the 95% Confidence Interval, all Arizona accredited programs, and all CoC accredited programs.

The 95% Confidence Interval (C.I.) is a statistical tool for interpreting comparison data. In simplest terms, it means that there is a 95% chance that the true average value is contained within the specified range. The Commission on Cancer specifies that the upper limit of the 95% C.I. of a facility's measure should meet or exceed either the published standard's expected percentage or the actual percentage of all CoC accredited programs, collectively.

Breast Cancer Measures

Measure	SHC Osborn	SHC Osborn 95% C.I.	AZ Accredited programs	CoC Accredited Programs
Radiation therapy is administered within 1 year of diagnosis for women under age 70 receiving breast conserving surgery for breast cancer	96.3%	100%	80.4%	92.7%
Combination chemotherapy is considered or administered within 4 months of diagnosis for women under 70 with AJCC T1c N0 M0, or Stage II or III ERA and PRA negative breast cancer	100%	100%	89.8%	93.1%
Tamoxifen or third generation aromatase inhibitor is considered or administered within 1 year of diagnosis for women with AJCC T1c N0 M0, or Stage II or III ERA and/or PRA positive breast cancer	93.2%	100%	76.3%	91.7%

Colon Cancer Measures

	SHC	SHC	AZ	CoC
Measure	Osborn	Osborn	Accredited	Accredited
		95% C.I.	programs	Programs
Adjuvant chemotherapy is considered or administered within 4 months of diagnosis for patients under the age of 80 with AJCC Stage III (lymph node positive) colon cancer	100%	100%	78.5%	91.7%
At least 12 regional lymph nodes are removed and pathologically examined for resected colon cancer	100%	100%	86%	87.8%

Rectal Cancer Measure

Measure	SHC Osborn	SHC Osborn 95% C.I.	AZ Accredited Programs	CoC Accredited Programs
Radiation therapy is considered or administered within 6 months of diagnosis for patients under the age of 80 with clinical or pathologic AJCC T4N0M0 or Stage III receiving surgical resection for rectal cancer	100%	100%	70.8%	92.7%

Additional Breast Measures for Surveillance and Quality Improvement (no required compliance value)

ridanional Broadt Modelato for Carromance and Quality impr	01011101110	roquirou con	inpliantoo valao,	
	SHC	SHC	AZ	CoC
Measure	Osborn	Osborn	Accredited	Accredited
		95% C.I.	programs	Programs
Breast conservation surgery rate for women with AJCC				
clinical stage 0, I, or II breast cancer (Surveillance only)	55.8%	66.9%	55.8%	64.0%

Image or palpation-guided needle biopsy (core or FNA) is performed to establish diagnosis of breast cancer (Quality Improvement only)	85.1%	93.2%	77.9%	83.2%
Radiation is considered or administered following any mastectomy within 1 year of diagnosis of breast cancer for women with \geq 4 positive regional lymph nodes (Surveillance only)	100%	100%	72.5%	79.1%

PRIMARY SITE TABULATION FOR 2013 SCOTTSDALE HEALTHCARE SYSTEM

PRIMARY SITE	TOTAL	GENDER Male	AJCC STAGE Female	0	ı	II	III	IV	UNK	N/A
ALL SITES	2648	1223	1425	230	849	465	291	360	187	266
ORAL CAVITY	53	37	16	0	14	7	5	22	5	0
LIP	1	1	0	0	1	0	0	0	0	0
TONGUE	20	13	7	0	4	2	4	7	3	0
OROPHARYNX	2	1	1	0	0	0	0	2	0	0
HYPOPHARYNX	0	0	0	0	0	0	0	0	0	0
OTHER	30	22	8	0	9	5	1	13	2	0
DIGESTIVE SYSTEM	345	192	153	5	75	93	61	90	17	4
ESOPHAGUS	17	12	5	0	5	4	1	5	2	0
STOMACH	24	9	15	1	7	6	3	6	1	0
COLON	122	70	52	2	27	37	28	25	2	1
RECTUM	66	38	28	1	18	15	14	10	8	0
ANUS/ANAL CANAL	8	2	6	0	3	2	1	1	1	0
LIVER	16	10	6	0	8	0	1	7	0	0
PANCREAS	63	36	27	0	5	25	5	27	1	0
OTHER	29	15	14	1	2	4	8	9	2	3
RESPIRATORY SYSTEM	261	124	137	1	74	29	47	104	5	1
NASAL/SINUS	2	2	0	0	1	1	0	0	0	0
LARYNX	10	9	1	1	3	2	1	3	0	0
LUNG/BRONCHUS	246	111	135	0	69	26	46	99	5	1
OTHER	3	2	1	0	1	0	0	2	0	0
BLOOD & BONE MARROW	153	90	63	0	0	0	3	3	0	147
LEUKEMIA	82	46	36	0	0	0	3	3	0	76
MULTIPLE MYELOMA	39	21	18	0	0	0	0	0	0	39
OTHER	32	23	9	0	0	0	0	0	0	32

BONE	10	4	6	0	4	2	0	0	4	0
CONNECT/SOFT TISSUE	44	31	13	0	11	8	15	5	4	1
SKIN MELANOMA OTHER	146 138 8	79 76 3	67 62 5	19 19 0	66 63 3	24 22 2	8 8 0	7 7 0	17 16 1	5 3 2
BREAST	457	4	453	95	195	103	30	13	21	0
FEMALE GENITAL CERVIX UTERI CORPUS UTERI OVARY VULVA OTHER	173 20 99 35 13 6	0 0 0 0 0	173 20 99 35 13 6	1 0 0 0 1 0	76 9 59 5 3 0	8 1 1 2 4 0	28 4 9 14 1 0	20 1 8 8 2 1	35 5 22 6 1	5 0 0 0 1 4
MALE GENITAL PROSTATE TESTIS OTHER	309 299 8 2	309 299 8 2	0 0 0 0	0 0 0	115 112 3 0	126 125 1 0	35 34 1 0	20 20 0 0	11 8 2 1	2 0 1 1
URINARY SYSTEM BLADDER KIDNEY/RENAL OTHER	276 166 96 14	204 130 69 5	72 36 27 9	109 103 1 5	76 18 53 5	31 26 5 0	16 8 8 0	21 9 10 2	21 2 19 0	2 0 0 2
BRAIN & CNS BRAIN (BENIGN) BRAIN (MALIGNANT) OTHER	36 1 16 19	16 1 7 8	20 0 9 11	0 0 0	0 0 0 0	0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	36 1 16 19
ENDOCRINE THYROID OTHER	193 189 4	41 40 1	152 149 3	0 0 0	111 111 0	7 7 0	17 17 0	11 11 0	43 43 0	4 0 4
LYMPHATIC SYSTEM HODGKIN'S DISEASE NON-HODGKIN'S	123 12 111	61 4 57	62 8 54	0 0 0	31 2 29	25 6 19	18 1 17	42 3 39	2 0 2	5 0 5
UNKNOWN PRIMARY	46	23	23	0	0	0	0	0	0	46
OTHER/ILL-DEFINED	23	8	15	0	1	2	8	2	2	8

Number of cases excluded: 4 This report EXCLUDES CA in-situ cervix cases, squamous and basal cell skin cases, and intraepithelial neoplasia cases

PRIMARY SITE TABULATION FOR 2013-SHEA-ANALYTIC

PRIMARY SITE	TOTAL	GENDER Male	AJCC STAGE Female	0	1	II	III	IV	UNK	N/A
ALL SITES	1680	807	873	182	566	320	173	179	118	142
ORAL CAVITY	30	16	14	0	9	4	2	13	2	0
LIP	1	1	0	0	1	0	0	0	0	0
TONGUE	10	4	6	0	2	1	1	5	1	0
OROPHARYNX	1	1	0	0	0	0	0	1	0	0
HYPOPHARYNX	0	0	0	0	0	0	0	0	0	0
OTHER	18	10	8	0	6	3	1	7	1	0
DIGESTIVE SYSTEM	191	102	89	2	44	51	36	48	7	3
ESOPHAGUS	10	7	3	0	3	2	1	4	0	0
STOMACH	16	6	10	1	4	5	1	4	1	0
COLON	65	37	28	0	18	17	16	12	2	0
RECTUM	33	18	15	1	11	9	6	4	2	0
ANUS/ANAL CANAL	5	2	3	0	2	1	0	1	1	0
LIVER	2	0	2	0	1	0	0	1	0	0
PANCREAS	42	22	20	0	3	15	5	18	1	0
OTHER	18	10	8	0	2	2	7	4	0	3
RESPIRATORY SYSTEM	120	58	62	0	39	13	21	45	2	0
NASAL/SINUS	1	1	0	0	0	1	0	0	0	0
LARYNX	3	2	1	0	1	2	0	0	0	0
LUNG/BRONCHUS	115	54	61	0	38	10	21	44	2	0
OTHER	1	1	0	0	0	0	0	1	0	0
BLOOD & BONE MARROW	107	65	42	0	0	0	1	1	0	105
LEUKEMIA	53	31	22	0	0	0	1	1	0	51
MULTIPLE MYELOMA	32	18	14	0	0	0	0	0	0	32
OTHER	22	16	6	0	0	0	0	0	0	22
BONE	8	2	6	0	2	2	0	0	4	0
CONNECT/SOFT TISSUE	27	19	8	0	8	7	6	4	2	0
SKIN	75	44	31	12	39	9	3	2	10	0
MELANOMA	73	43	30	12	38	9	3	2	9	0
OTHER	2	1	1	0	1	0	0	0	1	0

BREAST	344	2	342	77	143	79	22	7	16	0
FEMALE GENITAL CERVIX UTERI CORPUS UTERI OVARY VULVA OTHER	51 2 30 13 1 5	0 0 0 0 0	51 2 30 13 1 5	0 0 0 0 0	20 0 18 1 1 0	3 0 1 2 0	6 0 2 4 0	7 0 2 4 0 1	12 2 7 2 0 1	3 0 0 0 0 3
MALE GENITAL PROSTATE TESTIS OTHER	261 253 7 1	261 253 7 1	0 0 0	0 0 0 0	93 90 3 0	111 111 0 0	31 30 1 0	14 14 0 0	10 8 2 0	2 0 1 1
URINARY SYSTEM BLADDER KIDNEY/RENAL OTHER	220 138 74 8	158 105 50 3	62 33 24 5	91 89 1 1	57 12 41 4	26 23 3 0	15 7 8 0	10 5 4 1	19 2 17 0	2 0 0 2
BRAIN & CNS BRAIN (BENIGN) BRAIN (MALIGNANT) OTHER	4 0 1 3	3 0 0 3	1 0 1 0	0 0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	4 0 1 3
ENDOCRINE THYROID OTHER	158 156 2	33 33 0	125 123 2	0 0 0	96 96 0	5 5 0	16 16 0	6 6 0	33 33 0	2 0 2
LYMPHATIC SYSTEM HODGKIN'S DISEASE NON-HODGKIN'S	60 6 54	30 1 29	30 5 25	0 0 0	15 1 14	10 2 8	13 1 12	21 2 19	1 0 1	0 0 0
UNKNOWN PRIMARY OTHER/ILL-DEFINED	19 5	10 4	9	0	0	0	0	0	0	19 2

Number of cases excluded: 0 This report EXCLUDES CA in-situ cervix cases, squamous and basal cell skin cases, and intraepithelial neoplasia cases

PRIMARY SITE TABULATION FOR 2013 OSBORN

PRIMARY SITE	TOTAL	GENDER Male	AJCC STAGE Female	0	I	II	Ш	IV	UNK	N/A
ALL SITES	613	272	341	33	161	95	59	129	38	98
ORAL CAVITY LIP TONGUE OROPHARYNX HYPOPHARYNX OTHER	19 0 9 0 0	18 0 8 0 0	1 0 1 0 0	0 0 0 0 0	4 0 1 0 0 3	3 0 1 0 0 2	3 0 3 0 0	6 0 2 0 0 4	3 0 2 0 0	0 0 0 0 0
DIGESTIVE SYSTEM ESOPHAGUS STOMACH COLON RECTUM ANUS/ANAL CANAL LIVER PANCREAS OTHER	100 6 5 34 19 3 12 15 6	62 4 2 21 13 0 9 10 3	38 2 3 13 6 3 5 3	3 0 0 2 0 0 0 0	20 2 2 4 3 1 6 2	24 1 0 11 3 1 0 8 0	15 0 2 7 4 1 1 0	30 1 1 10 5 0 5 5 3	8 2 0 0 4 0 0 0	0 0 0 0 0 0 0
RESPIRATORY SYSTEM NASAL/SINUS LARYNX LUNG/BRONCHUS OTHER	110 1 6 101 2	50 1 6 42 1	60 0 0 59 1	1 0 1 0	27 1 2 23 1	14 0 0 14 0	17 0 1 16 0	49 0 2 46 1	1 0 0 1 0	1 0 0 1 0
BLOOD & BONE MARROW LEUKEMIA MULTIPLE MYELOMA OTHER	33 20 6 7	15 9 2 4	18 11 4 3	0 0 0 0	0 0 0 0	0 0 0	1 1 0 0	1 1 0 0	0 0 0	31 18 6 7
BONE	2	2	0	0	2	0	0	0	0	0
CONNECT/SOFT TISSUE	13	11	2	0	1	1	7	1	2	1
SKIN MELANOMA OTHER	66 61 5	34 32 2	32 29 3	7 7 0	26 25 1	14 12 2	3 3 0	5 5 0	7 7 0	4 2 2
BREAST	102	2	100	17	49	22	7	5	2	0
FEMALE GENITAL CERVIX UTERI CORPUS UTERI	11 1 5	0 0 0	11 1 5	0 0 0	2 0 1	0 0 0	1 0 0	0 0 0	7 1 4	1 0 0

Scottsdale Healthcare Osborn 2014 Cancer Program Annual Report

OVARY VULVA OTHER	3 1 1	0 0 0	3 1 1	0 0 0	1 0 0	0 0 0	1 0 0	0 0 0	1 1 0	0 0 1
MALE GENITAL PROSTATE TESTIS OTHER	5 5 0 0	5 5 0	0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	5 5 0 0	0 0 0 0	0 0 0 0
URINARY SYSTEM BLADDER KIDNEY/RENAL OTHER	21 9 10 2	19 8 10 1	2 1 0 1	5 4 0 1	5 1 4 0	2 1 1 0	1 1 0 0	8 2 5 1	0 0 0	0 0 0 0
BRAIN & CNS BRAIN (BENIGN) BRAIN (MALIGNANT) OTHER	32 1 15 16	13 1 7 5	19 0 8 11	0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	32 1 15 16
ENDOCRINE THYROID OTHER	23 21 2	6 5 1	17 16 1	0 0 0	10 10 0	0 0 0	1 1 0	3 3 0	7 7 0	2 0 2
LYMPHATIC SYSTEM HODGKIN'S DISEASE NON-HODGKIN'S	52 6 46	25 3 22	27 3 24	0 0 0	15 1 14	13 4 9	2 0 2	16 1 15	1 0 1	5 0 5
UNKNOWN PRIMARY OTHER/ILL-DEFINED	17 7	8	9 5	0	0	0	0	0	0	17 4

Number of cases excluded: 1 This report EXCLUDES CA in-situ cervix cases, squamous and basal cell skin cases, and intraepithelial neoplasia cases

PRIMARY SITE TABULATION FOR 2013 TPK

PRIMARY SITE	TOTAL	GENDER Male	AJCC STAGE Female	0	I	II	Ш	IV	UNK	N/A
ALL SITES	354	144	210	15	122	50	59	52	30	26
ORAL CAVITY LIP TONGUE	4 0 1	3 0 1	1 0 0	0 0 0	1 0 1	0 0 0	0 0 0	3 0 0	0 0 0	0 0 0
OROPHARYNX HYPOPHARYNX OTHER	1 0 2	0 0 2	1 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 0 2	0 0 0	0 0 0
DIGESTIVE SYSTEM ESOPHAGUS STOMACH COLON	54 1 3	28 1 1 12	26 0 2 11	0 0 0	11 0 1	18 1 1	10 0 0	12 0 1	2 0 0	1 0 0
RECTUM ANUS/ANAL CANAL LIVER PANCREAS	23 14 0 2 6	7 0 1 4	7 0 1 2	0 0 0 0	5 4 0 1 0	9 3 0 0 2	5 4 0 0	3 1 0 1 4	0 2 0 0	1 0 0 0 0
OTHER RESPIRATORY SYSTEM NASAL/SINUS LARYNX	5 31 0 1	2 16 0 1	3 15 0 0	0 0 0 0	0 8 0 0	2 2 0 0	1 9 0 0	2 10 0 1	0 2 0 0	0 0 0
LUNG/BRONCHUS OTHER BLOOD & BONE MARROW	30 0 13	15 0 10	15 0 3	0 0	8 0 0	2 0 0	9 0 1	9 0 1	2 0	0 0 11
LEUKEMIA MULTIPLE MYELOMA OTHER	9 1 3	6 1 3	3 0 0	0 0 0	0 0 0	0 0 0	1 0 0	1 0 0	0 0 0	7 1 3
BONE	0	0	0	0	0	0	0	0	0	0
CONNECT/SOFT TISSUE	4	1	3	0	2	0	2	0	0	0
SKIN MELANOMA OTHER	5 4 1	1 1 0	4 3 1	0 0 0	1 0 1	1 1 0	2 2 0	0 0 0	0 0 0	1 1 0
BREAST	10	0	10	1	3	2	1	1	2	0
FEMALE GENITAL CERVIX UTERI CORPUS UTERI OVARY	111 17 64 19	0 0 0	111 17 64 19	1 0 0 0	54 9 40 3	5 1 0 0	21 4 7 9	13 1 6 4	16 2 11 3	1 0 0 0

Scottsdale Healthcare Osborn 2014 Cancer Program Annual Report

VULVA	11	0	11	1	2	4	1	2	0	1
OTHER	0	0	0	0	0	0	0	0	0	0
MALE GENITAL	43	43	0	0	22	15	4	1	1	0
PROSTATE	41	41	0	0	22	14	4	1	0	0
TESTIS	1	1	0	0	0	1	0	0	0	0
OTHER	1	1	0	0	0	0	0	0	1	0
URINARY SYSTEM	35	27	8	13	14	3	0	3	2	0
BLADDER	19	17	2	10	5	2	0	2	0	0
KIDNEY/RENAL	12	9	3	0	8	1	0	1	2	0
OTHER	4	1	3	3	1	0	0	0	0	0
BRAIN & CNS	0	0	0	0	0	0	0	0	0	0
BRAIN (BENIGN)	0	0	0	0	0	0	0	0	0	0
BRAIN (MALIGNANT)	0	0	0	0	0	0	0	0	0	0
OTHER	0	0	0	0	0	0	0	0	0	0
ENDOCRINE	12	2	10	0	5	2	0	2	3	0
THYROID	12	2	10	0	5	2	0	2	3	0
OTHER	0	0	0	0	0	0	0	0	0	0
LYMPHATIC SYSTEM	11	6	5	0	1	2	3	5	0	0
HODGKIN'S DISEASE	0	0	0	0	0	0	0	0	0	0
NON-HODGKIN'S	11	6	5	0	1	2	3	5	0	0
UNKNOWN PRIMARY	10	5	5	0	0	0	0	0	0	10
OTHER/ILL-DEFINED	11	2	9	0	0	0	6	1	2	2

Number of cases excluded: 0 This report EXCLUDES CA in-situ cervix cases, squamous and basal cell skin cases, and intraepithelial neoplasia cases